



बिड संख्या/Bid Number: GEM/2026/B/7509634

दिनांक /Dated: 06-05-2026

दर अनुबंध बिड दस्तावेज़ / Rate Contract Bid Document

[This Rate Contract Bid is governed by General Terms and Conditions of Rate Contract.](#)

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	27-05-2026 17:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	27-05-2026 17:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	90 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Uttar Pradesh
विभाग का नाम/Department Name	Cane Development (ganna Vikas Vibhag) Department Uttar Pradesh
संगठन का नाम/Organisation Name	U P State Sugar Corporation Ltd
कार्यालय का नाम/Office Name	Lucknow

बिड विवरण/Bid Details

NewCS crown pinion only casting confirm to IS2708 Gradelll for mill size 33inch by66inch as per drawing , CS crown pinion only casting confirm to IS2708 Gradelll for mill size 33inch by 66 inch as per drawing on conversion basis , Machining Charges of above casted crown pinion of mill size 33inch by 66 inch , New CS crown pinion only casting confirm to IS2708 Gradelll for mill size 40inch by 80inch as per drawing , CS crown pinion only casting confirm to IS2708 Grade-III for mill size 40inch by 80 inch as per drawing on conversion basis , Machining Charges of above casted crown pinion of mill size 40inch by 80 inch , CS trash plate only casting confirm to IS1030 Grade 280 upon520W for mill size 33inch by 66 inch as per drawing , CS trash plate only casting confirm to IS1030 Grade 280 upon 520W for mill size 33inch by 66 inch As per drawing on conversion basis. , CS trash plate only casting confirm to IS2708 Grade III mill size 33inch by 66 inch As per drawing , CS trash plate only casting confirm to IS2708 Gradelll mill size33inch by 66 inch As per drawing On conversion basis , Machining and grooving Charges of above casted trash plate of mill size33inch by 66 inch , CS trash plate only casting confirm to IS1030 Grade 280 upon 520W for mill size 40nch by80ch As per drawing , CS trash plate only casting confirm to IS1030 Grade 280 upon 520W for mill size 40nch by80inch As per drawing on conversion basis. , Machining and grooving Charges of above casted trash plate of mill size 40nch by80inch. , CS trash plate beam only casting confirm to IS2708 Gradelll for mill size 33inch by66inchAs per drawing , CS trash plate beam only casting confirm to IS2708 Gradelll for mill size33inch by66inch As per drawing on conversion basis , CS trash plate beam only casting confirm to IS1030 grade 280 upon 520W for mill size 33inch by66inch As per drawing , CS trash plate beamonly casting confirm to IS1030 grade 280upon520W for mill size 33inch by66inch As per drawing on conversion basis , Machining and grooving Charges of above casted trash plate beam of mill size 33inch by66inch As per drawing , CS trash plate beam only casting confirm to IS2708 Grade 280 upon 520W for mill size40nch by80inch As per drawing , CS trash plate beam only casting confirm to IS2708 Grade 280upon520W for mill size 40nch by80inch As per drawing on conversion basis , Machining and grooving Charges of above casted trash plate beam of mill size 40nch by80inch As per drawing , New CS scrapper only casting confirm to IS1030 Grade 280 upon520W for mill size 33 inch by 66 inch As per drawing , New CS scrapper only casting confirm to IS1030 Grade 280upon520W for mill size 33inch by66inch As per drawing on conversion basis , Machining and grooving Charges of above casted scrapper of mill size 33inch by66inch , New CS scrapper only casting confirm to IS1030 Grade 3 for mill size 40nch by80inch As per drawing , New CS scrapper only casting confirm to Steel Grade E 250A IS2062-2011 for mill size 40nch by80inch As per drawing , Machining and grooving Charges of above casted scrapper of mill size 40nch by80inch

वस्तु श्रेणी /Item Category

GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS

Cast Steel Items

बिड विवरण/Bid Details	
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Foundry Moulding Boxes of Steel Construction (V2) Conforming to IS 1280, Steel Almirah / Cabinets (V4), Cast Iron Bench, Curios, Souvenirs and Gift Items, Steel Filing Cabinets for General Office Purpose conforming to IS 3313 (V2), Handicraft Items from Kutch - ODOP, Tool Kit for Household Decorative Items - O.D.O.P UP Gov.(Baghpat), Synthetic Cast Bandage (V2), Metal Storage Cabinet, Austenitic Manganese Steel Casting Conforming to IS 276
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • Austenitic Manganese Steel Casting Conforming to IS 276
बीओक्यू शीर्षक /BOQ Title	CAST STEEL ITEMS
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	7 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	60 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है / Startup Relaxation for Turnover	Yes Partial Turn over value - 5 (in lakhs)
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No

बिड विवरण/Bid Details

Yes ; NewCS crown pinion only casting confirm to IS2708 Gradelll for mill size 33inch by66inch as per drawing, CS crown pinion only casting confirm to IS2708 Gradelll for mill size 33inch by 66 inch as per drawing on conversion basis, Machining Charges of above casted crown pinion of mill size 33inch by 66 inch, New CS crown pinion only casting confirm to IS2708 Gradelll for mill size 40inch by 80inch as per drawing, CS crown pinion only casting confirm to IS2708 Grade-III for mill size 40inch by 80 inch as per drawing on conversion basis, Machining Charges of above casted crown pinion of mill size 40inch by 80 inch, CS trash plate only casting confirm to IS1030 Grade 280 upon520W for mill size 33inch by 66 inch as per drawing, CS trash plate only casting confirm to IS1030 Grade 280 upon 520W for mill size 33inch by 66 inch As per drawing on conversion basis., CS trash plate only casting confirm to IS2708 Grade III mill size 33inch by 66 inch As per drawing, CS trash plate only casting confirm to IS2708 Gradelll mill size33inch by 66 inch As per drawing On conversion basis, Machining and grooving Charges of above casted trash plate of mill size33inch by 66 inch, CS trash plate only casting confirm to IS1030 Grade 280 upon 520W for mill size 40nch by80ch As per drawing, CS trash plate only casting confirm to IS1030 Grade 280 upon 520W for mill size 40nch by80inch As per drawing on conversion basis., Machining and grooving Charges of above casted trash plate of mill size 40nch by80inch., CS trash plate beam only casting confirm to IS2708 Gradelll for mill size 33inch by66inchAs per drawing, CS trash plate beam only casting confirm to IS2708 Gradelll for mill size33inch by66inch As per drawing on conversion basis, CS trash plate beam only casting confirm to IS1030 grade 280 upon 520W for mill size 33inch by66inch As per drawing, CS trash plate beamonly casting confirm to IS1030 grade 280upon520W for mill size 33inch by66inch As per drawing on conversion basis, Machining and grooving Charges of above casted trash plate beam of mill size 33inch by66inch As per drawing, CS trash plate beam only casting confirm to IS2708 Grade 280 upon 520W for mill size40nch by80inch As per drawing, CS trash plate beam only casting confirm to IS2708 Grade 280upon520W for mill size 40nch by80inch As per drawing on conversion basis, Machining and grooving Charges of above casted trash plate beam of mill size 40nch by80inch As per drawing, New CS scrapper only casting confirm to IS1030 Grade 280 upon520W for mill size 33 inch by 66 inch As per drawing, New CS scrapper only casting confirm to IS1030 Grade 280upon520W for mill size 33inch by66inch As per drawing on conversion basis, Machining and grooving Charges of above casted scrapper of mill size 33inch by66inch, New CS scrapper only casting confirm to IS1030 Grade 3 for mill size 40nch by80inch As per drawing, New CS scrapper only casting confirm to IS1030 Grade 3 for mill size 40nch by80inch As per drawing, New CS scrapper only casting confirm to Steel Grade E 250A IS2062-2011 for mill size 40nch by80inch As per drawing, New CS scrapper only casting confirm to Steel Grade E 250A IS2062-2011 for mill size 40nch by80inch As per drawing, Machining and grooving Charges of above casted scrapper of mill size 40nch by80inch

दर अनुबंध और शीर्षक / Rate Contract & Title

दर अनुबंध की वैधता अवधि / Validity Period Of Rate Contract

12 Months

बिड विवरण/Bid Details

तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	4 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	1500000
मूल्यांकन पद्धति/Evaluation Method	Item wise consignee wise evaluation

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
-----------------------------	---------------------

Discount Slab Range**Newcs Crown Pinion Only Casting Confirm To Is2708 Gradeiii For Mill Size 33inch By66inch As Per Drawing**

Slab 1	1 - and above Unit
--------	--------------------

Cs Crown Pinion Only Casting Confirm To Is2708 Gradeiii For Mill Size 33inch By 66 Inch As Per Drawing On Conversion Basis

Slab 1	1 - and above Unit
--------	--------------------

Machining Charges Of Above Casted Crown Pinion Of Mill Size 33inch By 66 Inch

Slab 1	1 - and above Unit
--------	--------------------

New Cs Crown Pinion Only Casting Confirm To Is2708 Gradeiii For Mill Size 40inch By 80inch As Per Drawing

Slab 1	1 - and above Unit
--------	--------------------

Cs Crown Pinion Only Casting Confirm To Is2708 Grade-iii For Mill Size 40inch By 80 Inch As Per Drawing On Conversion Basis

Slab 1	1 - and above Unit
--------	--------------------

Machining Charges Of Above Casted Crown Pinion Of Mill Size 40inch By 80 Inch

Slab 1	1 - and above Unit
--------	--------------------

Cs Trash Plate Only Casting Confirm To Is1030 Grade 280 Upon520w For Mill Size 33inch By 66 Inch As Per Drawing

Slab 1	1 - and above Unit
--------	--------------------

Cs Trash Plate Only Casting Confirm To Is1030 Grade 280 Upon 520w For Mill Size 33inch By 66 Inch As Per Drawing On Conversion Basis.

Slab 1	1 - and above Unit
--------	--------------------

Cs Trash Plate Only Casting Confirm To Is2708 Grade Iii Mill Size 33inch By 66 Inch As Per Drawing

Slab 1	1 - and above Unit
--------	--------------------

Cs Trash Plate Only Casting Confirm To Is2708 Gradeiii Mill Size33inch By 66 Inch As Per Drawing On Conversion Basis

Slab 1	1 - and above Unit
--------	--------------------

Machining And Grooving Charges Of Above Casted Trash Plate Of Mill Size33inch By 66 Inch

Slab 1	1 - and above Unit
--------	--------------------

Cs Trash Plate Only Casting Confirm To Is1030 Grade 280 Upon 520w For Mill Size 40nch By80ch As Per Drawing

Slab 1	1 - and above Unit
--------	--------------------

Cs Trash Plate Only Casting Confirm To Is1030 Grade 280 Upon 520w For Mill Size 40nch By80inch As Per Drawing On Conversion Basis.

Slab 1	1 - and above Unit
--------	--------------------

Machining And Grooving Charges Of Above Casted Trash Plate Of Mill Size 40nch By80inch.

Slab 1	1 - and above Unit
--------	--------------------

Cs Trash Plate Beam Only Casting Confirm To Is2708 Gradeiii For Mill Size 33inch By66inch As Per Drawing

Slab 1	1 - and above Unit
--------	--------------------

Cs Trash Plate Beam Only Casting Confirm To Is2708 Gradeiii For Mill Size33inch By66inch As Per Drawing On Conversion Basis

Slab 1	1 - and above Unit
--------	--------------------

Cs Trash Plate Beam Only Casting Confirm To Is1030 Grade 280 Upon 520w For Mill Size 33inch By66inch As Per Drawing

Slab 1	1 - and above Unit
--------	--------------------

Cs Trash Plate Beamonly Casting Confirm To Is1030 Grade 280upon520w For Mill Size 33inch By66inch As Per Drawing On Conversion Basis

Slab 1	1 - and above Unit
--------	--------------------

Machining And Grooving Charges Of Above Casted Trash Plate Beam Of Mill Size 33inch By66inch As Per Drawing

Slab 1	1 - and above Unit
--------	--------------------

Cs Trash Plate Beam Only Casting Confirm To Is2708 Grade 280 Upon 520w For Mill Size40nch By80inch As Per Drawing

Slab 1	1 - and above Unit
--------	--------------------

Cs Trash Plate Beam Only Casting Confirm To Is2708 Grade 280upon520w For Mill Size 40nch By80inch As Per Drawing On Conversion Basis

Slab 1	1 - and above Unit
--------	--------------------

Machining And Grooving Charges Of Above Casted Trash Plate Beam Of Mill Size 40nch By80inch As Per Drawing

Slab 1	1 - and above Unit
--------	--------------------

New Cs Scrapper Only Casting Confirm To Is1030 Grade 280 Upon520w For Mill Size 33 Inch By 66 Inch As Per Drawing

Slab 1	1 - and above Unit
--------	--------------------

New Cs Scrapper Only Casting Confirm To Is1030 Grade 280upon520w For Mill Size 33inch By66inch As Per Drawing On Conversion Basis

Slab 1	1 - and above Unit
--------	--------------------

Machining And Grooving Charges Of Above Casted Scrapper Of Mill Size 33inch By66inch

Slab 1	1 - and above Unit
--------	--------------------

New Cs Scrapper Only Casting Confirm To Is1030 Grade 3 For Mill Size 40nch By80inch As Per Drawing

Slab 1	1 - and above Unit
--------	--------------------

New Cs Scrapper Only Casting Confirm To Is1030 Grade 3 For Mill Size 40nch By80inch As Per Drawing

Slab 1	1 - and above Unit
--------	--------------------

New Cs Scrapper Only Casting Confirm To Steel Grade E 250a Is2062-2011 For Mill Size 40nch By80inch As Per Drawing

Slab 1	1 - and above Unit
--------	--------------------

New Cs Scrapper Only Casting Confirm To Steel Grade E 250a Is2062-2011 For Mill Size 40nch By80inch As Per Drawing

Slab 1	1 - and above Unit
--------	--------------------

Machining And Grooving Charges Of Above Casted Scrapper Of Mill Size 40nch By80inch

Slab 1	1 - and above Unit
--------	--------------------

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

Chief Chemist

Lucknow, Cane Development (Ganna Vikas Vibhag) Department Uttar Pradesh, U P State Sugar Corporation Ltd,
(Rajendra Kumar Srivastava)

बोली विभाजन लागू नहीं किया गया/Bid splitting not applied.

1. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
2. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
3. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts

and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

4. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method & Consignee Location (Item Wise Consignee Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / Evaluation Schedules	वस्तु/श्रेणी / Item/Category	Location of Consignee
Schedule 1 (LUCKNOW)	Newcs Crown Pinion Only Casting Confirm To Is2708 Gradeiii For Mill Size 33inch By66inch As Per Drawing	LUCKNOW
Schedule 2 (LUCKNOW)	Cs Crown Pinion Only Casting Confirm To Is2708 Gradeiii For Mill Size 33inch By 66 Inch As Per Drawing On Conversion Basis	LUCKNOW
Schedule 3 (LUCKNOW)	Machining Charges Of Above Casted Crown Pinion Of Mill Size 33inch By 66 Inch	LUCKNOW
Schedule 4 (LUCKNOW)	New Cs Crown Pinion Only Casting Confirm To Is2708 Gradeiii For Mill Size 40inch By 80inch As Per Drawing	LUCKNOW
Schedule 5 (LUCKNOW)	Cs Crown Pinion Only Casting Confirm To Is2708 Grade-iii For Mill Size 40inch By 80 Inch As Per Drawing On Conversion Basis	LUCKNOW
Schedule 6 (LUCKNOW)	Machining Charges Of Above Casted Crown Pinion Of Mill Size 40inch By 80 Inch	LUCKNOW
Schedule 7 (LUCKNOW)	Cs Trash Plate Only Casting Confirm To Is1030 Grade 280 Upon520w For Mill Size 33inch By 66 Inch As Per Drawing	LUCKNOW
Schedule 8 (LUCKNOW)	Cs Trash Plate Only Casting Confirm To Is1030 Grade 280 Upon 520w For Mill Size 33inch By 66 Inch As Per Drawing On Conversion Basis.	LUCKNOW

Schedule 9 (LUCKNOW)	Cs Trash Plate Only Casting Confirm To Is2708 Grade Iii Mill Size 33inch By 66 Inch As Per Drawing	LUCKNOW
Schedule 10 (LUCKNOW)	Cs Trash Plate Only Casting Confirm To Is2708 Grade Iii Mill Size 33inch By 66 Inch As Per Drawing On Conversion Basis	LUCKNOW
Schedule 11 (LUCKNOW)	Machining And Grooving Charges Of Above Casted Trash Plate Of Mill Size 33inch By 66 Inch	LUCKNOW
Schedule 12 (LUCKNOW)	Cs Trash Plate Only Casting Confirm To Is1030 Grade 280 Upon 520w For Mill Size 40inch By 80inch As Per Drawing	LUCKNOW
Schedule 13 (LUCKNOW)	Cs Trash Plate Only Casting Confirm To Is1030 Grade 280 Upon 520w For Mill Size 40inch By 80inch As Per Drawing On Conversion Basis.	LUCKNOW
Schedule 14 (LUCKNOW)	Machining And Grooving Charges Of Above Casted Trash Plate Of Mill Size 40inch By 80inch.	LUCKNOW
Schedule 15 (LUCKNOW)	Cs Trash Plate Beam Only Casting Confirm To Is2708 Grade Iii For Mill Size 33inch By 66inch As Per Drawing	LUCKNOW
Schedule 16 (LUCKNOW)	Cs Trash Plate Beam Only Casting Confirm To Is2708 Grade Iii For Mill Size 33inch By 66inch As Per Drawing On Conversion Basis	LUCKNOW
Schedule 17 (LUCKNOW)	Cs Trash Plate Beam Only Casting Confirm To Is1030 Grade 280 Upon 520w For Mill Size 33inch By 66inch As Per Drawing	LUCKNOW
Schedule 18 (LUCKNOW)	Cs Trash Plate Beam Only Casting Confirm To Is1030 Grade 280 upon 520w For Mill Size 33inch By 66inch As Per Drawing On Conversion Basis	LUCKNOW
Schedule 19 (LUCKNOW)	Machining And Grooving Charges Of Above Casted Trash Plate Beam Of Mill Size 33inch By 66inch As Per Drawing	LUCKNOW
Schedule 20 (LUCKNOW)	Cs Trash Plate Beam Only Casting Confirm To Is2708 Grade 280 Upon 520w For Mill Size 40inch By 80inch As Per Drawing	LUCKNOW
Schedule 21 (LUCKNOW)	Cs Trash Plate Beam Only Casting Confirm To Is2708 Grade 280 upon 520w For Mill Size 40inch By 80inch As Per Drawing On Conversion Basis	LUCKNOW
Schedule 22 (LUCKNOW)	Machining And Grooving Charges Of Above Casted Trash Plate Beam Of Mill Size 40inch By 80inch As Per Drawing	LUCKNOW
Schedule 23 (LUCKNOW)	New Cs Scrapper Only Casting Confirm To Is1030 Grade 280 Upon 520w For Mill Size 33 Inch By 66 Inch As Per Drawing	LUCKNOW
Schedule 24 (LUCKNOW)	New Cs Scrapper Only Casting Confirm To Is1030 Grade 280 upon 520w For Mill Size 33inch By 66inch As Per Drawing On Conversion Basis	LUCKNOW
Schedule 25 (LUCKNOW)	Machining And Grooving Charges Of Above Casted Scrapper Of Mill Size 33inch By 66inch	LUCKNOW
Schedule 26 (LUCKNOW)	New Cs Scrapper Only Casting Confirm To Is1030 Grade 3 For Mill Size 40inch By 80inch As Per Drawing	LUCKNOW
Schedule 27 (LUCKNOW)	New Cs Scrapper Only Casting Confirm To Is1030 Grade 3 For Mill Size 40inch By 80inch As Per Drawing	LUCKNOW
Schedule 28 (LUCKNOW)	New Cs Scrapper Only Casting Confirm To Steel Grade E 250a Is2062-2011 For Mill Size 40inch By 80inch As Per Drawing	LUCKNOW
Schedule 29 (LUCKNOW)	New Cs Scrapper Only Casting Confirm To Steel Grade E 250a Is2062-2011 For Mill Size 40inch By 80inch As Per Drawing	LUCKNOW
Schedule 30 (LUCKNOW)	Machining And Grooving Charges Of Above Casted Scrapper Of Mill Size 40inch By 80inch	LUCKNOW

NewCS Crown Pinion Only Casting Confirm To IS2708 Grade III

For Mill Size 33inch By66inch As Per Drawing

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

CS Crown Pinion Only Casting Confirm To IS2708 Gradelll For Mill Size 33inch By 66 Inch As Per Drawing On Conversion Basis

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Machining Charges Of Above Casted Crown Pinion Of Mill Size 33inch By 66 Inch

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

New CS Crown Pinion Only Casting Confirm To IS2708 Gradelll

For Mill Size 40inch By 80inch As Per Drawing

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

CS Crown Pinion Only Casting Confirm To IS2708 Grade-III For Mill Size 40inch By 80 Inch As Per Drawing On Conversion Basis

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Machining Charges Of Above Casted Crown Pinion Of Mill Size 40inch By 80 Inch

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

CS Trash Plate Only Casting Confirm To IS1030 Grade 280

Upon520W For Mill Size 33inch By 66 Inch As Per Drawing

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

CS Trash Plate Only Casting Confirm To IS1030 Grade 280 Upon 520W For Mill Size 33inch By 66 Inch As Per Drawing On Conversion Basis.

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

CS Trash Plate Only Casting Confirm To IS2708 Grade III Mill Size 33inch By 66 Inch As Per Drawing

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

CS Trash Plate Only Casting Confirm To IS2708 Grade III Mill Size 33inch By 66 Inch As Per Drawing On Conversion Basis

तकनीकी विशिष्टियाँ / **Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Machining And Grooving Charges Of Above Casted Trash Plate Of Mill Size 33inch By 66 Inch

तकनीकी विशिष्टियाँ / **Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

CS Trash Plate Only Casting Confirm To IS1030 Grade 280 Upon 520W For Mill Size 40inch By 80inch As Per Drawing

तकनीकी विशिष्टियाँ / **Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

CS Trash Plate Only Casting Confirm To IS1030 Grade 280 Upon 520W For Mill Size 40nch By80inch As Per Drawing On Conversion Basis.

तकनीकी विशिष्टियाँ /**Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Machining And Grooving Charges Of Above Casted Trash Plate Of Mill Size 40nch By80inch.

तकनीकी विशिष्टियाँ /**Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

CS Trash Plate Beam Only Casting Confirm To IS2708 GradeIII For Mill Size 33inch By66inchAs Per Drawing

तकनीकी विशिष्टियाँ /**Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

CS Trash Plate Beam Only Casting Confirm To IS2708 Gradelll For Mill Size33inch By66inch As Per Drawing On Conversion Basis

तकनीकी विशिष्टियाँ /**Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

CS Trash Plate Beam Only Casting Confirm To IS1030 Grade 280 Upon 520W For Mill Size 33inch By66inch As Per Drawing

तकनीकी विशिष्टियाँ /**Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

CS Trash Plate Beamonly Casting Confirm To IS1030 Grade 280upon520W For Mill Size 33inch By66inch As Per Drawing On Conversion Basis

तकनीकी विशिष्टियाँ /**Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Machining And Grooving Charges Of Above Casted Trash Plate Beam Of Mill Size 33inch By66inch As Per Drawing

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

CS Trash Plate Beam Only Casting Confirm To IS2708 Grade 280 Upon 520W For Mill Size40nch By80inch As Per Drawing

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

CS Trash Plate Beam Only Casting Confirm To IS2708 Grade 280upon520W For Mill Size 40nch By80inch As Per Drawing On Conversion Basis

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Machining And Grooving Charges Of Above Casted Trash Plate Beam Of Mill Size 40nch By80inch As Per Drawing

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

New CS Scrapper Only Casting Confirm To IS1030 Grade 280 Upon520W For Mill Size 33 Inch By 66 Inch As Per Drawing

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

New CS Scrapper Only Casting Confirm To IS1030 Grade 280upon520W For Mill Size 33inch By66inch As Per Drawing On Conversion Basis

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Machining And Grooving Charges Of Above Casted Scrapper Of Mill Size 33inch By66inch

तकनीकी विशिष्टियाँ /**Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

New CS Scrapper Only Casting Confirm To IS1030 Grade 3 For Mill Size 40nch By80inch As Per Drawing

तकनीकी विशिष्टियाँ /**Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

New CS Scrapper Only Casting Confirm To IS1030 Grade 3 For Mill Size 40nch By80inch As Per Drawing

तकनीकी विशिष्टियाँ /**Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

New CS Scrapper Only Casting Confirm To Steel Grade E 250A IS2062-2011 For Mill Size 40nch By80inch As Per Drawing

तकनीकी विशिष्टियाँ /**Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

New CS Scrapper Only Casting Confirm To Steel Grade E 250A IS2062-2011 For Mill Size 40nch By80inch As Per Drawing

तकनीकी विशिष्टियाँ /**Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Machining And Grooving Charges Of Above Casted Scrapper Of Mill Size 40nch By80inch

तकनीकी विशिष्टियाँ /**Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/**Buyer Added Bid Specific Terms and Conditions**

1. **Generic**

After award of contract – Successful Bidder shall have to get Detailed Design Drawings approved from buyer before starting fabrication. Successful Bidder shall submit Detailed Design Drawings for Buyer's approval, within 7 days of award of contract. Buyer shall, either approve the drawings or will provide complete list of modification required in the drawings within 10 days. Seller shall be required to ensure supply as per approved Drawings with modifications as communicated by Buyer. If there is delay from buyer side in approval of drawing- the delivery period shall be refixed without LD for the period of delay in approval of Drawing.

2. **Generic**

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

pratosh@moh Pratosh Kumar Tyagi "U.P State sugar corporation Ltd Unit - Mohiuddinpur District - Meerut PIN - 250205" UTTAR PRADESH Meerut 250205
PipraichPurchase Ajai Kumar Srivastava U.P. State Sugar & Cane Development Corporation Ltd. UTTAR PRADESH Gorakhpur 273152
Mahendra3355 Mahendra Kumar Srivastava UP STATE SUGAR AND CANE DEVELOPMENT CORPORATION LIMITED Uttar Pradesh Basti 272170
Farazmoiz Faraz Moiz UP STATE SUGAR AND CANE DEVELOPMENT CORPORATION LIMITED Uttar Pradesh Basti 272170
PipraichPurchase Ajai Kumar Srivastava U.P. State Sugar & Cane Development Corporation Ltd. UTTAR PRADESH Gorakhpur 273152

3. **Generic**

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

4. **Generic**

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 2 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

5. **Generic**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

6. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

7. Turnover

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

8. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

9. Certificates

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

10. Certificates

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

11. Certificates

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

12. Certificates

To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid):

Required

.

13. Warranty

Bidder / OEM has to give an undertaking that after expiry of warranty period, it will provide AMC Service for next 2 years for the offered products at the rate not more than 2 % of contract price per annum. Buyer reserves the right to enter into an AMC agreement (covering preventive maintenance and servicing)with the Successful Bidder / OEM after expiry of the Warranty period at rate as mentioned above and the payment for the AMC charges would be made Annually after rendering of the AMC Services of the relevant AMC period. Performance Security of the successful bidder shall be forfeited if it fails to accept the AMC contract when called upon by the buyer. The original Performance Security of contract will be returned only after submission and verification of AMC Performance Security for 2% of total AMC value valid up to AMC period plus 2 months (if there is no other claim). (Undertaking of acceptance to be uploaded with bid).

14. Forms of EMD and PBG

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

U.P. State Sugar Corporation Ltd.
payable at
Lucknow

.

Bidder has to upload scanned copy / proof of the DD along with bid and has to

ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

15. **Forms of EMD and PBG**

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name

U.P. State Sugar Corporation Ltd.

Account No.

521301011031002

IFSC Code

UBIN0558664

Bank Name

Union Bank of India

Branch address

Sugar Corporation branch, Gomati Nagar, Lucknow

Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

16. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/**Disclaimer**

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of

the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.

8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---